

## Contents of Volumes 189

Vol. 189/1–3

Geometric and thermodynamic considerations about the lipid vesicles formation in water (I. Unilamellar vesicles) A.O. Vila, C. Rodriguez-Flores, J. Figueruelo and F. Molina (València, Spain) . . . . .	1
Synthesis of an amphiphilic polymer performed in an oil-in-water microemulsion and in a lamellar liquid crystalline phase M. Häger (Stockholm, Sweden), K. Holmberg (Göteborg, Sweden) and U. Olsson (Lund, Sweden) . . . . .	9
Surface properties of polyamides F. Böhme, C. Klinger and C. Bellmann (Dresden, Germany) . . . . .	21
Theoretical description of surface elasticity of ionic surfactants P. Warszyński (Kraków, Poland), K.D. Wantke and H. Fruhner (Potsdam, Germany) . . . . .	29
Use of surfactants to remove water based inks from plastic films H. Gecol (Reno, NV, USA), J.F. Scamehorn, S.D. Christian, B.P. Grady (Norman, OK, USA) and F. Riddell (Neenah, WI, USA) . . . . .	55
Role of surfactant structure on surface and foaming properties D. Beneventi, B. Carre (Grenoble, France) and A. Gandini (St. Martine d'Hères, France) . . . . .	65
Anchoring of organic molecules onto activated carbon J.A.C. Alves, C. Freire, B. de Castro and J.L. Figueiredo (Porto, Portugal) . . . . .	75
Influence of the HLB parameter of nonionic surfactants on normal and reversed-phase thin layer chromatography J. Esquena and C. Solans (Barcelona, Spain) . . . . .	85
Electron pair acceptor properties of alkali cations in zeolite Y: an electron spin resonance study of adsorbed di-tert-butyl nitroxide M. Gutjahr, A. Pöpl, W. Böhlmann and R. Böttcher (Leipzig, Germany) . . . . .	93
A model-independent analysis of nitrogen adsorption isotherms on oxidized active carbons J. Choma (Warsaw, Poland) and M. Jaroniec (Kent, OH, USA) . . . . .	103
Effect of temperature on critical micelle concentration and thermodynamic potentials of micellization of anionic ammonium dodecyl sulfate and cationic octadecyl trimethyl ammonium chloride K.-H. Kang, H.-U. Kim and K.-H. Lim (Seoul, South Korea) . . . . .	113
Amphiphile adsorption on asphaltene particles: adsorption isotherms and asphaltene stabilization O. León, E. Contreras and E. Rogel (Caracas, Venezuela) . . . . .	123
Charge distribution multi-site complexation (CD-MUSIC) modeling of Pb(II) adsorption on gibbsite R. Weerasooriya (Kandy, Sri Lanka; Erlangen, Germany), D. Aluthpatabendi (Kandy, Sri Lanka) and H.J. Tobschall (Erlangen, Germany) . . . . .	131
Synthesis of palladium nanoparticles in water-in-oil microemulsions C.-C. Wang, D.-H. Chen and T.-C. Huang (Tainan, Taiwan, ROC) . . . . .	145
Preparation of gold nanoparticles in formamide and <i>N,N</i> -dimethylformamide in the presence of poly(amidoamine) dendrimers with surface methyl ester groups K. Esumi, A. Kameo, A. Suzuki and K. Torigoe (Tokyo, Japan) . . . . .	155
Structural and thermodynamic characteristics of natural marine films derived from force–area studies S.J. Pogorzelski (Gdańsk, Poland) . . . . .	163
AOT reverse microemulsions in $\text{scCO}_2$ — a further investigation B.H. Hutton, J.M. Perera, F. Grieser and G.W. Stevens (Victoria, Australia) . . . . .	177
The interaction of epoxy resin and an additional electrolyte with non-oxidised carbon black in colloidal dispersions T. Prasse, M.-K. Schwarz, K. Schulte and W. Bauhofer (Hamburg, Germany) . . . . .	183
Acceleration of deswelling for poly( <i>N</i> -isopropylacrylamide) gel prepared on the hydrophobic surface of the matrix N. Kato, Y. Oohira, Y. Sakai and F. Takahashi (Yoto, Japan) . . . . .	189
The role of discretization in video image processing of sessile and pendant drop profiles A.M. Emelyanenko and L.B. Boinovich (Moscow, Russia) . . . . .	197
ER fluid based on inorganic/polymer blend particles and its adaptive viscoelastic properties L. Yanju, D. Hejun (Singapore, Singapore) and W. Dianfu (Harbin, People's Republic of China) . . . . .	203
Heterocoagulation behavior of poly(styrene-co-butadiene) and poly(butyl acrylate) at high particle concentrations K. Maruyama (Yokkaichi, Tsu, Japan), M. Kawaguchi and T. Kato (Tsu, Japan) . . . . .	211

Relation of foam stability to solution and surface properties of gemini cationic surfactants derived from arginine A. Pinazo (Lafayette, IN, USA; Barcelona, Spain), L. Pérez, M.R. Infante (Barcelona, Spain) and E.I. Franes (Lafayette, IN, USA) . . . . .	225
An enhanced electrical resistance technique for foam drainage measurement M. Barigou, N.S. Deshpande and F.N. Wiggers (Birmingham, UK) . . . . .	237
Electrokinetic and electrochemical characterizations of porous membranes M.J. Ariza, A. Cañas and J. Benavente (Malaga, Spain) . . . . .	247
Production of W/O/W emulsions and S/O/W pectin microcapsules by microchannel emulsification T. Kawakatsu, G. Trägårdh and C. Trägårdh (Lund, Sweden) . . . . .	257
The effect of liquid properties to contact angle hysteresis C.N.C. Lam, N. Kim, D. Hui (Toronto, Canada), D.Y. Kwok (Cambridge, MA, USA), M.L. Hair and A.W. Neumann (Toronto, Canada) . . . . .	265
Study of the transition temperatures and acid-base properties of poly (methyl methacrylate) adsorbed on alumina and silica, by using inverse gas chromatography technique T. Hamieh, M. Rezzaki and J. Schultz (Mulhouse, France) . . . . .	279
Calendar . . . . .	293
Author index . . . . .	295
Subject index . . . . .	297
Volume contents . . . . .	299

